

Model	TS-IPSH50AI-ANT60
DSP	Embedded RTOS, dual-core 32bit DSP(Hi3516EV300),pure hard compression ,watch dog
Sensor	5.0M 1/2.8" S Sony Starvis DOL HDR Black light illumination CMOS sensor, color 0.0001Lux@F1.2,black/white 0.0001Lux@F1.2
Video compression	H.265AI/H.265+ (Compatible with H.265/H.264) support dual stream,AVI;0.1M~10Mbps variable;1~25f/s variable
Day/Night	ICR
Min.Illumination	Low LUX: 0.0001LUX @F1.2 (Color)/0.0001LUX @F1.2 (B&W)
Lens	2.8-12mm manual zoom lens
IR LED	12x8pcs,60M
IR Distance	60M
Noise reduction	Support 2D/3D
Wide dynamic	Support digital Wide dynamic
Electronic Shutter	1/50(60) s~ 1/10000s
VIDEO	
Compression	H.265+ /H.265 /H.264
Image output	Main stream: 5MP 2592*1944@20fps; 4MP 2560*1440@20fps; 2MP 1920*1080@25fps; sub-stream: 704*576@25fps;
Frame Rate	1--25FPS (Adjustable)
Bit Rate	100Kpbs~10Mbps(Adjustable)
NETWORK	
Protocol	RTSP/FTP/PPPOE/DHCP/DDNS/NTP/UPnP etc.
ONVIF	Support
Intelligence analysis	Supporting human detection, and supports intelligent functions such as customized face detection, number statistics, etc.
Other function	Support WEB, OSD, live video transmission, motion detect and IO alarm, front-end storage/playback/download, and center reminder and image linkage, support JPEG capture; united remote client monitoring software, MYEYE
PC Client & Browser	CMS/VMS, IE
Mobile Phone	iPhone, iPad, Android Mobile(XMeye app)
INTERFACE	
Video Output	RJ45
LAN	1 RJ45 10/100 Ethernet port
Storage	Micro TF card slot (built-in)
GENERAL	
Working Temperature	-15 C ~ + 55 C
Working Humidity	0% ~ 90%
Power Supply	DC12V/POE, 1.0A
Dimension	285(W) x165(H) x116(D)mm
Weight	0.7Kg